Pobrano z mamadecor.pl

SETS FOR TRACK MAGNETIC

Pobrano z mamadecor.pl

?(A?FOR

Track M agneti

9< 1 M SET FOR TRACK MAGNETIC

:4 1,5 M SET FOR TRACK MAGNETIC

:5 2 M SET FOR TRACK MAGNETIC

:9 3 M SET FOR TRACK MAGNETIC

Pobrano z mamadecor.pl

A> $1 5 +6(A.$?(A ă 5

Sets for Track Magnetic

ðĬ5ăĂĭă#1¢ IÕŬŭЛ
ºªJN¦ ªJz«X-ŕN ă ªŭ ĭĂĂĂ1ŭ MЏJN¦

ðĬ5ăĂĭăF,¢ IÕŬŭŭ
ºªJN¦ ªJz«X-ŕN ă ªŭ ĭĂĂĂ1ŭ Ç| ºX

A> $1 5 +6(A.$?(A ă5 3000K / 4000K


LED integrated

voltage: 48V	LED 26W 1120lm 3000K
IP20	LED 26W 1815lm 4000K
technical	installation: Track Magnetic
wtigŭĂgexsr	pendant with AZ4828 or AZ4829

?Xº´°XN `NJ-«ý
AZ4798 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4603
AZ4799 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4604
AZ4800 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4605
IÕЛĂă ģ IÕЬĭŭ DZ IÕЬŬĂ DZ IÕЬðĭ DZ ĬÈ IÕЬĂЬ

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	I8;=<	(52M1031BK)
3000K WHITE (BK)	I8;==	(52M1031WH)
4000K BLACK (BK)	I8<44	(52M1041BK)
4000K WHITE (BK)	I8<45	(52M1041WH)



* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m

Pobrano z mamadecor.pl

ðĭ5ăĂĭĭ#1¢ IÕŋĂĭ
ºªJN¦ ªJz«X-1N ă ª ĭĂĂĂ1 MŲJN¦

ðĭ5ăĂĭĭF ,¢ IÕŋĂĭ
ºªJN¦ ªJz«X-1N ă ª ĭĂĂĂ1 Ç| ºX

A> $1 5 +6(A.$?(A ă5 3000K / 4000K

LED integrated


voltage: 48V	LED 26W 2022m 3000K
IP20	LED 26W 1930lm 4000K
technical	installation: Track Magnetic
wtigĂgexsr	pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	I8<46	(52M1032BK)
3000K WHITE (BK)	I8<47	(52M1032WH)
4000K BLACK (BK)	I8<48	(52M1042BK)
4000K WHITE (BK)	I8<49	(52M1042WH)

?Xº´°XN `NJ-1-«ŷ
AZ4802 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4584
AZ4803 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4585
AZ4804 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4586
AZ4805 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4587

* Ceiling Plate + Wire
** Track Magnetic Suspension Kit 2m



Pobrano z mamadecor.pl

A> $1 5 +6(A.$?(A ăŵŏ 5

Sets for Track M agnetic

ŏĬ 5ăŏĭă#1¢ IŎŊĂЌ
ºªJN¦ ª Jz«X-1N ăŵŏ ªŵ ĭĂĂĂ1ŵ MЌJN¦

ŏĬ 5ăŏĭă#1Ь+8¢ IŎŊĂŬ
ºªJN¦ ª Jz«X-1N ăŵŏ ªŵ ĭĂĂĂ1ŵ MЌJN¦Ьz-ЌT

A> $1 5 +6(A.$?(A ăŵŏ5

3000K / 4000K


LED integrated

voltage: 48V	LED 41W 2905lm 3000K
IP20	LED 41W 2910lm 4000K
technical	installation: Track Magnetic
wtigrÄgexsr	pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	I8<4:	(52M1531BK)
3000K WHITE (BK)	I8<4;	(52M1531BK/GO)
4000K BLACK (BK)	I8<4<	(52M1531WH/GO)
4000K WHITE (BK)	I8<4=	(52M1541BK)

ŏĬ 5ăŏĭăF ,Ь+8¢ IŎŊĂŊ
ºªJN¦ ª Jz«X-1N ăŵŏ ªŵ ĭĂĂĂ1ŵ Ç| ºXbz-ЌT



* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m

?Xº´°XN `NJ-1-«ỳ
AZ4806 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4630
AZ4807 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4632

IŎŊĂŊ ģ IŎЌŐă DZ IŎЌŬĂ DZ IŎЌŏĭ DZ IŎЌĂŬõ ĬÈ IŎЌĭĬ
IŎŊĂŭ ģ IŎЌŐĂ DZ IŎЌŬă DZ IŎЌŏĬ DZ IŎЌĂŬõ ĬÈ IŎЌĭă

(2.6 A> $1 5 +6(A.$ŬF ĭĂĂĂ1 +82&

AZzardo®

Pobrano z mamadecor.pl

ðĭ 5 ĬĂĭă#1¢ IÐŋăĂ
ºJN¦ ª Jz«X-N Ĭ ª ĭĂĂĂ1 M%JN¦

ðĭ 5 ĬĂĭă F ,¢ IÐŋăă
ºJN¦ ª Jz«X-N Ĭ ª ĭĂĂĂ1 Ç| ºX

A> $1 5 +6(A.$?(A Ĭ 5 3000K / 4000K

LED integrated


voltage: 48V	LED 51W 3131lm 3000K
IP20	LED 53W 3041lm 4000K
technical	installation: Track Magnetic
wtigÅgexsr	pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	I8<54	(52M2031BK)
3000K WHITE (BK)	I8<55	(52M2031WH)
4000K BLACK (BK)	I8<56	(52M2041BK)
4000K WHITE (BK)	I8<57	(52M2041WH)

?Xº ´ °XN `NJ-«ŷ

IÐŋăĂ ģ	IÐŧÐĬ DZ	IÐŧÙă DZ	IÐŧðĬ DZ	IÐŧĂŨõ	ĬÈ IÐðŋÐ
IÐŋăă ģ	IÐŧÐĭ DZ	IÐŧÙĬ DZ	IÐŧðĭ DZ	IÐŧĂŋõ	ĬÈ IÐðŋð
IÐŋăĬ ģ	IÐŧÐĬ DZ	IÐŧÙă DZ	IÐŧðĬ DZ	IÐŧĂũõ	ĬÈ IÐðŋŧ
IÐŋăĭ ģ	IÐŧÐĭ DZ	IÐŧÙĬ DZ	IÐŧðĭ DZ	IÐŧăĂõ	ĬÈ IÐðŋÙ



* Ceiling Plate + Wire
** Track Magnetic Suspension Kit 2m

6.18 Ĭ A> $1 5 +6(A.$ ĬÈÙF ĭĂĂĂ1 F ,ь#1

6.18 Ĭ A> $1 5 +6(A.$ ĬÈÙF ĭĂĂĂ1 #1ь#1

Pobrano z mamadecor.pl

A> $1 5 +6(A.$?(AЇ5

Track Magnetic

ðЇ5ЇĂїЇ#1¢ IÐЛăð
ºзJN¦ ªJz«X-1N Ї ª Ї ĂĂĂ1 M%JN¦

ðЇ5ЇĂїЇF,¢ IÐЛăð
ºзJN¦ ªJz«X-1N Ї ª Ї ĂĂĂ1 Ç| ºX

A> $1 5 +6(A.$?(AЇ5 3000K / 4000K

LED integrated


voltage: 48V	LED 69W 3533lm 3000K
IP20	LED 69W 3609lm 4000K
technical	installation: Track Magnetic
wtigĂgewsr	pendant with AZ4828 or AZ4829

?Xº´°XN `NJ1-«ý
IÐЛăÐ ģ
IÐ%ÐЇ DZ IÐ%Ða DZ IÐ%ðЇ DZ IÐ%ĂÙõ ЇÈ IÐðÙù DZ ЇÈ IÐðùð
IÐЛăð ģ
AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4580 + 2xAZ4596
IÐЛăĸ ģ
IÐ%ÐЇ DZ IÐ%Ùa DZ IÐ%ðЇ DZ IÐ%ĂÙõ ЇÈ IÐðЛăDZ ЇÈ IÐðÙÙ
IÐЛăÙ ģ
IÐ%ÐЇ DZ IÐ%ÐЇ DZ IÐ%ðЇ DZ IÐ%aĂõ ЇÈ IÐðЛ¡DZ ЇÈ IÐðÙЛ

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	8<58	(52M2032BK)
3000K WHITE (BK)	8<59	(52M2032WH)
4000K BLACK (BK)	8<5:	(52M2042BK)
4000K WHITE (BK)	8<5;	(52M2042WH)

6.18 A> $1 5 +6(A.$ÙF ЇĂĂĂ1 F,ь#1



1.> A> $1 5 +6(A.$ăЇF ;8.6A?ĸĂ ЇĂĂĂ1 F,

6.18 A> $1 5 +6(A.$ÙF ЇĂĂĂ1 #1ь#1

1.> A> $1 5 +6(A.$ăЇF ;8.6A?ĸĂ ЇĂĂĂ1 #1

* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m

Pobrano z mamadecor.pl

ðĭ5ĬĂĭŎ#1¢ IĎЛĬĂ
ºзJN¦ ªJz«X-1N Ĭªıı ĭĂĂĂ1ıı MĶJN¦

A> $1 5 +6(A.$?(A Ĭ5 3000K

LED integrated


voltage: 48V		LED 51W 3131lm 3000K LED
IP20		
technical		installation: Track Magnetic
wtigИgexsr		pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

■	3000K BLACK (BK)	I8<64	(52M2034BK)
□	3000K WHITE (BK)	I8<65	(52M2034WH)

?Xº ´°XN `NJ1-«ŷ
AZ4820 =
IĎЯŎĬ DZ IĎЯŮă DZ IĎЯŏĬ DZ IĎЯĂŬõ ĬÈ IĎðЛŭDZ IĎðŭĬ
IĎЛĬă ģ
AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4590 + AZ4593

ðĭ5ĬĂĭŎF ,¢ IĎЛĭă
ºзJN¦ ªJz«X-1N Ĭªıı ĭĂĂĂ1ıı Ç| ºX



* Ceiling Plate + Wire
** Track Magnetic Suspension Kit 2m

Pobrano z mamadecor.pl

A> $1 5 +6(A.$?(AǏ5

Sets for Track Magnetic

ðǏ5ǏĂǐǐ#1ь+8¢ IÐЛăЛ
ºзJN¦ ªJz«X-1N Ǐª‖ǏĂĂĂ1‖M%JN¦ьz-}T

ðǏ5ǏĂǐǐF ,ь+8¢ IÐЛăŭ
ºзJN¦ ªJz«X-1N Ǐª‖ǏĂĂĂ1‖Ç| ºXьz-}T

A> $1 5 +6(A.$?(AǏ5 3000K

LED integrated


voltage: 48V	LED 53W 3540lm 3000K
IP20	
technical	installation: Track Magnetic
wtigĂgexmsr	pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	I8<5<	(52M2033BK/GO)
3000K WHITE (BK)	I8<5=	(52M2033WH/GO)

?Xº´°XN `NJ1-«ỷ

IÐЛăЛ ģ	IÐ%ÐǏ DZ	IÐ%ŭă DZ	IÐ%ðǏ DZ	IÐ%ĂŭÕ	ǏÈ	IÐðЛЛ
IÐЛăŭ ģ	IÐ%ÐǐDZ	IÐ%ŬǏ DZ	IÐ%ðǐ DZ	IÐ%ĂЛÕ	ǏÈ	IÐðЛЛ



* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m

Pobrano z mamadecor.pl

ðǏ5ăĂǐă#1¢ IÕŮŭЛ
ºªJN¦ ªJz«X·1N ǐªǁ ǐĂĂĂ1ǁMĶJN¦

ðǏ5ǐĂǐăF,¢ IÕЛǏǐ
ºªJN¦ ªJz«X·1N ǐªǁ ǐĂĂĂ1ǁÇ| ºX

A> $1 5 +6(A.$?(A ǐ5 3000K


LED integrated

voltage: 48V		LED 156W 8722lm 3000K LED
IP20		
technical		installation: Track Magnetic
wtigпÅgexпsr		pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

■	3000K BLACK (BK)	I8<64	(52M2034BK)
□	3000K WHITE (BK)	I8<65	(52M2034WH)

?Xº´°XN `NJ1-«ŷ
AZ4822 =
IÕꞮÔÕ DZ IÕꞮŮǐ DZ IÕꞮõǏ DZ ǏÈ IÕꞮĂÕ DZǏÈ IÕꞮăă DZ ÕÈ IÕꞮǐă
AZ4823 =
IÕꞮÕÕð DZ IÕꞮŮÕ DZ IÕꞮõǐ DZ ǏÈ IÕꞮĂð DZǏÈ IÕꞮăǏ DZ ÕÈ IÕꞮǏǏ



* Ceiling Plate + Wire
** Track Magnetic Suspension Kit 2m

2&8 A> $1 5 +6(A.$ăǏF ;8.6A?ꞮĂĂĂ1 F ,

Pobrano z mamadecor.pl

A> $1 5 +6(A.$?(A ǐ 5

Sets for Track Magnetic

ðǏ5ǏĂǐǏ#1¢ IðɲǏð
º³JN¦ ª Jz«X-1N ǐ ª ǐĂĂĂ1 MɈJN¦

ðǏ5ǏĂǐǏF,¢ IðɲǏð
º³JN¦ ª Jz«X-1N ǐ ª ǐĂĂĂ1 Ç| ºX

A> $1 5 +6(A.$?(A ǐ 5 3000K / 4000K

LED integrated

voltage: 48V	LED 145W 7332lm 3000K
IP20	LED 120W 6316lm 4000K
technical	installation: Track Magnetic
wtigĂgexsr	pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	I8<68	(52M3032BK)
3000K WHITE (BK)	I8<69	(52M3032WH)
4000K BLACK (BK)	I8<6:	(52M3042BK)
4000K WHITE (BK)	I8<6;	(52M3042WH)

?Xº´°XN `NJ-1-«ĵ
AZ4824 =
IÕɈǨÕDZ IÕɈǨǏDZ IÕɈõÎDZ IÕɈĂǐõ ǏÈ IÕɈǎăDZǏÈ IÕðǨǔDZ IÕðɲǨ
AZ4825 =
IÕɈǨðDZ IÕɈǨǨDZ IÕɈõǐDZ IÕɈĂÕõ ǏÈ IÕɈǎÎDZǏÈ IÕðɲĂDZ IÕðɲð
AZ4826 =
IÕɈǨÕDZ IÕɈǨǐDZ IÕɈõÎDZ IÕɈĂðõ ǏÈ IÕɈĂúDZǏÈ IÕðɲăDZ IÕðɲɈ
AZ4827 =
IÕɈǨðDZ IÕɈǨǨDZ IÕɈõǐDZ IÕɈĂɈõ ǏÈ IÕɈǎĂDZǏÈ IÕðɲǏDZ IÕðɲǨ


6.18 Ǐ A> $1 5 +6(A.$ǓF ǐĂĂĂ1 F,ь#1



6.18 A> $1 5 +6(A.$ǓF ǐĂĂĂ1 F,ь#1

6.18 A> $1 5 +6(A.$ǓF ǐĂĂĂ1 #1ь#1





* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m

6.18 Ǐ A> $1 5 +6(A.$ǓF ǐĂĂĂ1 #1ь#1

Pobrano z mamadecor.pl