Pobrano z mamadecor.pl

LUCIDE

GENERAL SPECIFICATIONS

Twilight switch
day/night
sensor

item number : 14893/80/30
EAN code : 5411212144317

LORI

RECOMMENDED LUCIDE
LIGHT SOURCE


49034/05/62
Light source dimmable : Yes
Light source incl. : No

General

Dimensions LxWxH : 12.0 cm x 12.0cm x 80.0 cm
Heigth minimum : 80.0 cm
Heigth maximum : 80.0cm
Dimensions shade LxWxH :
Main material : Aluminum
Ceiling rose material :
Color : Black
Style : Modern
Shape : Cylinder
Weight : 2.10kgs
Warranty : 2 years

Product specifications

Dimmable : No
Light direction : Around (Diffuse)
Adjustable in height: No
Directional : Not Directional
Cable : No
Cable length :
Sensor : With day/night sensor
Control : Light Switch Control
IP-Class : 44
Electric class : 1
Light source including ?: No
Lamp socket : E27
Light source number : 1
Power requirements : 220-240V~50Hz
Bulb type & maximum wattage : E27 Max 15W



IP44 IP54 IP65 IP67

Explanation of IP numbers for degrees of protection, see safety instruction manual in the box.

For more specifications of this product please visit
www.lucide.com


Pobrano z mamadecor.pl

LUCIDE

TECHNICAL DRAWING & DIMENSIONS

LORI

Item number : 14893/80/30
EAN code : 5411212144317




For more specifications, dimensions please visit
www.lucide.com

Pobrano z mamadecor.pl


LUCIDE

INSTALLATION DRAWING SPECIFICATIONS


1.




2.




3.




4.




5.




6.




7.




8.




9.




10.



11.



12.



Pobrano z mamadecor.pl

LUCIDE

INSTALLATION DRAWING SPECIFICATIONS

Control Sensor Technique Index & Directions

Main technique index

1) Light control: Open-controlled: ≤25LUX, Off-controlled: 30-60LUX
2) Frequency: 50-60Hz
3) Lighting Control Power: 100W
4) Voltage: 220-240VAC
5) Consume power: ≤1.0W

I. How to circuit Illustration:



II. Caution Please avoid installing the controller in the open air.