Pobrano z mamadecor.pl

LUCIDE

GENERAL SPECIFICATIONS

ZOZY

item number : 18756/03/30
EAN code : 5412121858 46

General

Dimensions LxWxH : 22 cm x 22 cm x 145 cm
Heigth minimum : -
Heigth maximum : 145 cm
Dimensions shade LxWxH : 4 cm x 4 cm x 12.5 cm
Main material : Plastic
Ceiling rose material : Plastic
Color : Black
Style : Modern
Shape : (QP I
Weight : ;:8kg
Warranty : < years

Product specifications

Dimmable : 0QWEJ8FKO OCDNG8KP8VJTGG8UVGRU
Light direction : Around (Diffuse)
Adjustable in heigth : Adjustable In Height (Before Installation)
Directional : Not Directional
Cable : Yes, Cable On Driver
Cable length : 180 cm
Sensor : Without Sensor
Control : Light Switch Control
IP-Class : 20
Electric class : 3
Light source including: Yes
Light source number : 1
Power requirements : 8:;289>c8
^;;9g;=92 >9$\8OCKP8KPRWV_
Bulb type & maximum wattage : 9> 38(!
^< 3 8KP8VQVCN_

For more specifications of this product please visit
www.lucide.com


Pobrano z mamadecor.pl

LUCIDE

TECHNICAL DRAWING & DIMENSIONS

ZOZY

Item number : 18756/03/30
EAN code : 5412121858 46



If dimmable in steps:


- Dit toestel dimt in verschillende stappen. Telkens u het toestel aanraakt zal de lichtintensiteit veranderen.
- Cet appareil s'[illegible]aire en plusiers [illegible]apes. Chaque fois qu'on le touche, l'intensit[illegible]umineuse change.
- This item is dimmable in different steps. Each time the item is touched, the light intensity changes.
- Dieses Apparat dimmt in mehrere Malen. Wenn Sie das Apparat ber[illegible]ren, soll die Lichtintensit[illegible]ndern.

For more specifications, dimensions please visit
www.lucide.com

Pobrano z mamadecor.pl

LUCIDE

INSTALLATION DRAWING SPECIFICATIONS



Dit product bevat een lichtbron van energie-efficiëntieklasse F
Ce produit contient une source lumineuse de classe énergétique F
This product contains a light source of energy efficiency class F
Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse F
Ten produkt zawiera ród o wiat a o klasie efektywno ci energetycznej F