Pobrano z mamadecor.pl


LUCIDE

GENERAL SPECIFICATIONS



?J; CpDL C 8;HphpYX\YYnWXnZWd
! c *8EQFG8i8>=::;:;;::;99

/K*/K



RECOMMENDED LUCIDE LIGHT SOURCE

[`WYWnW\n]W
Light source dimmable : 5GU
Light source incl. : *Q

General

Dimensions LxWxH : :>EO8Z8:>EO8Z8;BEO
$;?=>JpC?D?CLCh;BEO
$;?=>JpC70?CLCh;BO
Dimensions shade LxWxH : :9EO8Z8:9EO8Z8:=EO
Main material :)GVCN
Ceiling rose material :)GVCN
Color : /CPF[8DNCEM8CPF8IQNF
Style :)QFGTP
Shape : .GEVCPIWNCT
Weight : :k?8MI
Warranty : ;d[GCTU

Product specifications

Dimmable : 5GU
Light direction : cTQWPF8^ KHHWUG_
Adjustable in heigth : *Qd
Directional : *QV8 KTGEVKQPCN
Cable : 5GUk8 CDNG8+P8,TQFWEV
Cable length : :A9dEO
Sensor : 3KVJQWV8/GPUQT
Control : (KIJVd/YKVEJ8 QPVTQN
IP-Class : ;9
Electric class : ;
Light source including ? : *Q
Lamp socket : !;@
Light source number : :8
Power requirements : ;;9g;=92¡>9$\
Bulb type & maximum wattage : !;@ OCZd=93

For more specifications of this product please visit

www.lucide.com


Pobrano z mamadecor.pl

LUCIDE

TECHNICAL DRAWING & DIMENSIONS

/K* /K

%J; C pDL C 8;HphpYX\YYnWXnZW
!K*p + !php\[XXYXYYXXYWW



For more specifications, dimensions please visit

www.lucide.com

Pobrano z mamadecor.pl

LUCIDE

INSTALLATION DRAWING SPECIFICATIONS

