Pobrano z mamadecor.pl

10112BTR/B/W

9W/12W COB LED 2-Step trimless Recessed spot, IP20, for general application. Requires 500mA/700mA constant current driver.

Complies with standard EN60598-1 and any other specific standards.

Downloads

Dimensions

Gallery

Must be ordered separately

89015A

Related items

Pobrano z mamadecor.pl

89015AT

Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Trimless Mini Range Aluminium
Order Code	10112BTR/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	92mm
Diameter	64mm
Cutout Hole Diameter	70mm
Recessed trimmless ceiling	Yes
Depth Required	110mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	500mA/700mA
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB

Pobrano z mamadecor.pl

LED Brand	Bridgelux
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	90
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes

Packing Info

Pcs/Carton	48
Barcode	5291889070061
HS Code	9405409900

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes