Pobrano z mamadecor.pl



# 10112/G/D

9W LED architectural downlight, IP20.

Complete with LED driver.

Complies with standard EN60598-1 and any other specific standards.

Downloads

Dimensions

Gallery

## Physical Specification

| | |
|---|---|
| Item Group | 06 Downlights Fixed LED |
| Family | Architectural Downlights Die cast |
| Order Code | 10112/G/D |
| Colour | Grey |
| Material | Die Cast |
| Diffuser Material | Acrylic |
| Shape | Circular |

Pobrano z mamadecor.pl

| | |
|---|---|
| Height | 85mm |
| Diameter | 115mm |
| Cutout Hole Diameter | 89mm |
| Recessed Ceiling | Yes |
| Depth Required | 110mm |
| Indoor | Yes |
| Adjustable | No |

## Electrical Characteristics

| | |
|---|---|
| Gear | External-Included |

### Fitting + Driver

| | |
|---|---|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | |
| Power(Watts) | 9W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark | |

### Fitting

| | |
|---|---|
| Input Type | Constant Current |
| Power(Watts) | 9W |
| IP Rating | IP20 |
| Light Source | LED built in |

### Gear

| | |
|---|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |

Pobrano z mamadecor.pl

| | |
|---|---|
| 50 Hz | Yes |
| 60 Hz | Yes |
| IP Rating | IP20 |
| Safety Class | |
| Dimmable | No |
| Housing Material | Plastic |
| Brand | One Light |

## Illumination Data

| | |
|---|---|
| Colour Temperature | 6000K |
| Lumen Output | 400lm |
| Light Efficiency | 44,44lm/W |
| CRI | 80 |
| Beam Angle | 90° |
| Illumination Diagram | |

## Packing Info

| | |
|---|---|
| Box Length | 17cm |
| Box Width | 11,5cm |
| Box Height | 11,5cm |
| Pcs/Carton | 10 |
| Barcode | 5291889026952 |
| HS Code | 9405409900 |

## Certification & Warranty

Pobrano z mamadecor.pl

| | |
|---|---|
| Warranty | 2 Years |
| Weee Directive | Yes |