Pobrano z mamadecor.pl

13 Wall & Ceiling LED>The COB LED Indoor Cylinders Aluminium

12115LA/W/W

15W COB LED ceiling downlight, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.

Downloads

Dimensions

Physical Specification

Item Group	13 Wall & Ceiling LED
Family	The COB LED Indoor Cylinders Aluminium
Order Code	12115LA/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	115mm
Diameter	118mm
Surface Wall	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Pobrano z mamadecor.pl

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	15W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	42V
Power(Watts)	14,7W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Philips

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	9,5-14W
Power Factor	0,9

Pobrano z mamadecor.pl

Constant Current	Yes
350mA	27-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	LIFUD

Illumination Data

Colour Temperature	3000K
Lumen Output	1300lm
Light Efficiency	86,67lm/W
CRI	80
Beam Angle	50°
Illumination Diagram	

Packing Info

Box Weight	0.552kg
Pcs/Carton	36
Barcode	5291889044901
HS Code	9405409900

Certification & Warranty

Pobrano z mamadecor.pl

Warranty	3 Years
Weee Directive	Yes