Pobrano z mamadecor.pl

21 Industrial & Floodlights>The Industrial IP65 LED UFO Range Aluminium 63200N/C

200W SMD LED Industrial High Bay, IP65.

Supplied with dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.

Downloads

Dimensions

Related items

050114FA 050114GB 050114HB

Physical Specification

Item Group	21 Industrial & Floodlights
Family	The Industrial IP65 LED UFO Range Aluminium
Order Code	63200N/C
Colour	Black
Material	Aluminium
Shape	Circular
Height	170mm
Diameter	340mm
Surface Ceiling	Yes

Pobrano z mamadecor.pl

Surface Wall	Yes
Suspended Ceiling	Yes
Indoor	Yes
Outdoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	200W
IP Rating	IP65
Light Source	LED built in
Dimmable	Yes
Dimmer type	1-10V
Cable Length	30cm
F Mark	

Fitting

Input Type	Constant Current
Input Current	1000mA
Voltage	190V
Power(Watts)	190W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835

Pobrano z mamadecor.pl

LED Brand	Osram

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	180-260W
Power Factor	0,9
Constant Current	Yes
1000mA	180-260V
IP Rating	IP65
Safety Class	
Brand	Lifud

Illumination Data

Colour Temperature	4000K
Lumen Output	26000lm
Light Efficiency	130lm/W
CRI	80
Beam Angle	90°
Illumination Diagram	

Packing Info

Box Weight	4.200kg
Pcs/Carton	1
Barcode	5291889067962
HS Code	9405413990

Certification & Warranty

Warranty	5 years

Pobrano z mamadecor.pl