Pobrano z mamadecor.pl

14 Plafo>The LED Slim Plafo Range

67448A/W/W

36W LED slim plafo, suitable for residential and commercial application, IP20.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.

Downloads

Dimensions

Physical Specification

Item Group	14 Plafo
Family	The LED Slim Plafo Range
Order Code	67448A/W/W
Colour	White
Material	Metal
Diffuser Material	Plastic
Shape	Circular
Height	60mm
Diameter	500mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Pobrano z mamadecor.pl

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	36W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Input Current	900mA
Voltage	40V
Power(Watts)	34W
IP Rating	IP20
Light Source	LED built in
LED Brand	Hongli
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	22,5-37,8W
Power Factor	0,9

Pobrano z mamadecor.pl

Constant Current	Yes
900mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector

Illumination Data

Colour Temperature	3000K
Lumen Output	2700lm
Light Efficiency	75lm/W
CRI	85
Illumination Diagram	

Packing Info

Box Length	50cm
Box Width	50cm
Box Height	7,5cm
Box Weight	2.280kg
Pcs/Carton	5
Barcode	5291889059202
HS Code	9405409900

Certification & Warranty

Pobrano z mamadecor.pl

Warranty	2 Years
Weee Directive	Yes