Pobrano z mamadecor.pl

19 Wall Recessed & Inground>Wall Recessed Pro Range

68072A/W

5W LED wall recessed light, IP65, ideal for both indoor and outdoor installation.

Complete 350mA driver.

Supplied with box for concrete installation

Complies with standard EN60598-1 and any other specific standards.

Downloads

Dimensions

Gallery

Physical Specification

Item Group	19 Wall Recessed & Inground
Family	Wall Recessed Pro Range
Order Code	68072A/W
Colour	Stainless Steel
Material	Stainless Steel 316
Diffuser Material	Glass
Shape	Rectangular

Pobrano z mamadecor.pl

Length	120mm
Width	48mm
Height	67mm
Cutout Hole Width	112mm
Cutout Hole Length	42mm
Recessed wall	Yes
Depth Required	75mm
Indoor	Yes
Outdoor	Yes
IK Rating	8

Electrical Characteristics

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	5W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	12V
Safety Class	
Power(Watts)	4,2W

Pobrano z mamadecor.pl

IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Osram
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1-4W
Power Factor	0,5
Constant Current	Yes
350mA	3-12V
IP Rating	IP20
Safety Class	
Housing Material	Plastic
Brand	Eaglerise
Protection	0

Illumination Data

Colour Temperature	3000K
Lumen Output	100lm
Light Efficiency	20lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	9,5cm

Pobrano z mamadecor.pl

Box Width	5,5cm
Box Height	15cm
Pcs/Carton	24
Barcode	5291889057758
HS Code	9405409900

Energy Label

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes